

ARTIKELNR./  
ARTICLE NO.  
**EB10337**

MÄRKSTRÖM/  
CURRENT RATING  
**63**      **A**

MEASURING  
EQUIPMENT

CURR- TRAFO- SPACE	ENERGY- METER- SPACE
--------------------------	----------------------------

FAST ANSLUTNING/  
FIXED CONNECTIONS

<125A	>125A
-------	-------

CEE-OUTLETS  
3-POLE/230V

16A	32A	63A	125A
-----	-----	-----	------

SCHUKO OUTLETS  
2-POLE/230V

16A
-----

CEE-OUTLETS  
5-POLE/400V

16A	32A	63A	125A
-----	-----	-----	------

JFB/RCCB

<0,03A	>0,3A	>0,03A & <0,3A
--------	-------	----------------------

JFB/RCCB  
Variable


VIKT/WEIGHT  
-      **kg**

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

TF 36EL



RITAD AV/DRAWN BY <b>CG</b>	DATUM/DATE <b>130813</b>	NEXT SHEET <b>2</b>	SHEET <b>1</b>
SIGN	REVISION/ISSUE <b>H</b>	RITINGS NR./DRAWING	




ARTIKELNR./ ARTICLE NO. <b>EB10337</b>			
MÄRKSTRÖM/ CURRENT RATING <b>63</b>	<b>A</b>		
MEASURING EQUIPMENT			
CURR- TRAFO- SPACE	ENERGY- METER- SPACE		
FAST ANSLUTNING/ FIXED CONNECTIONS			
<125A	>125A		
CEE-OUTLETS 3-POLE/230V			
16A	32A	63A	125A
SCHUKO OUTLETS 2-POLE/230V			
16A			
CEE-OUTLETS 5-POLE/400V			
16A	32A	63A	125A
JFB/RCCB			
<0,03A	>0,3A	>0,03A & <0,3A	
JFB/RCCB Variable			
VIKT/WEIGHT			
-	kg		

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

TF 36EL



RITAD AV/DRAWN BY <b>CG</b>	DATUM/DATE <b>130813</b>	NEXT SHEET <b>3</b>	SHEET <b>2</b>
SIGN	REVISION/ISSUE <b>H</b>	RITINGS NR./DRAWING	



L1-F04 4A  
 L2-F04 4A  
 L3-F04 4A  
 N-F04 4A

ARTIKELNR./  
 ARTICLE NO.  
**EB10337**

MÄRKSTRÖM/  
 CURRENT RATING  
**63 A**

MEASURING  
 EQUIPMENT  
 CURR-  
 TRAFO-  
 SPACE ENERGY-  
 METER-  
 SPACE

FAST ANSLUTNING/  
 FIXED CONNECTIONS  
 <125A >125A

CEE-OUTLETS  
 3-POLE/230V  
 16A 32A 63A 125A

SCHUKO OUTLETS  
 2-POLE/230V  
 16A

CEE-OUTLETS  
 5-POLE/400V  
 16A 32A 63A 125A

JFB/RCCB  
 <0,03A >0,3A >0,03A & <0,3A

JFB/RCCB  
 Variable


VIKT/WEIGHT  
 - kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

TF 36EL



RITAD AV/DRAWN BY <b>CG</b>	DATUM/DATE <b>130813</b>	NEXT SHEET <b>4</b>	SHEET <b>3</b>
SIGN	REVISION/ISSUE <b>H</b>	RITINGS NR./DRAWING	



This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

TF 36EL



RITAD AV/DRAWN BY <b>CG</b>	DATUM/DATE <b>130813</b>	NEXT SHEET <b>5</b>	SHEET <b>4</b>
SIGN	REVISION/ISSUE <b>H</b>	RITINGS NR./DRAWING	

A		B	C	D	E	F	G	H	J	K	
PC.	Position	Description	Type	Manufacturer	Data	Article No.	E-number(SE)	ARTIKELNR./ ARTICLE NO. <b>EB10337</b>			
1	E01	Tryckknapp	M22-DZ-B-GB14	Eaton	Blå, Reset	33802	3253692	MÄRKSTRÖM/ CURRENT RATING <b>63</b> <b>A</b>			
1		Överhettningsskydd	125 °C	E.G.O.		55.32522.470		MEASURING EQUIPMENT			
1	E02	Termostat	8 - 32 °C	E.G.O.		55.13002.490		CURR- TRAFO- SPACE      ENERGY- METER- SPACE			
1	E03	Tryckvakt	6753-AEJA-A000	Herga	2,5-40mBar	6753-AEJA-A000		FAST ANSLUTNING/ FIXED CONNECTIONS			
1	F01	Dvärgbrytare	iC60H 3P 10kA	Schneider Electric	C 32A	A9F07332	2112259	<125A      >125A			
2	F02, F03	Dvärgbrytare	iC60H 3P 10kA	Schneider Electric	C 16A	A9F07316	2112254	CEE-OUTLETS 3-POLE/230V			
1	F04	Dvärgbrytare	iC60H 4P 10kA	Schneider Electric	C 6A	A9F07406	2112267	16A	32A	63A	125A
2	H01, H02	Lamphållare	Röd LED	Schneider Electric	230V AC	ZB5AVM4	3734092	SCHUKO OUTLETS 2-POLE/230V			
2		Lampkalott	Röd	Schneider Electric		ZB5AV043	3734130	16A			
1	H03	Lampkalott	Gul	Schneider Electric		ZB5AV053	3734131	CEE-OUTLETS 5-POLE/400V			
1		Lamphållare	Gul LED	Schneider Electric	230V AC	ZB5AVM5	3734093	16A	32A	63A	125A
1	K01	Kontaktor	LC1D38P7	Schneider Electric	38A, 18.5kW	LC1D38P7	3233054	JFB/RCCB >0,03A & <0,3A			
2	K02, K03	Kontaktor	LC1D25P7	Schneider Electric	25A, 11kW	LC1D25P7	3233034	JFB/RCCB Variable			
1	R1	Plug-In relä	PT	Schrack	4VXL, 230V AC	PT570730	4023150	VIKT/WEIGHT			
1		Socket	PT-Relä	Schrack	4P	PT78720	4023418	-			
1	R01	Motstånd	4,53kOhm	Elfa		60-730-27		kg			
1	R02	Motstånd	1,91kOhm	Elfa		60-725-81					
1	R03	Motstånd	4,7kOhm	Elfa		60-329-10					
1	S01	Kamströmställare	0-1-2	Baco		PR122203A8					
1	S02	Kamströmställare	0-1-2-3	Baco		PR125301A8					
1	X00	Väggintag	463BU6	ABB	63A, 400V, IP44		1964121				
1	X01	Kopplingslist	HE6N WPR	Svenska Helag AB	4-POL	0063W0410					
1	X02	Kabelkontakt	PC 4/6-ST-7,62	Phoenix Contact		1804946					
1		Kåpa med dragavl.	KGS-PC 4/6-F	Phoenix Contact		1837353					
1		Chassikontakt	DFK-PC 4/6-GF-7,62	Phoenix Contact		1840599					
1	X03	Kabelkontakt	MSTB 2,5/5-STF-5,08	Phoenix Contact		1778014					
1		Kåpa med dragavl.	KGG-MSTB 2,5/5	Phoenix Contact		1803895					
1		Chassiram	IC-DFR 5	Phoenix Contact		1852053					
1		Chassikontakt	IC 2,5/5-STGF-5,08	Phoenix Contact		1825530					
4	X04	Kopplingsplint	Grå	Schneider Electric	4mm <sup>2</sup>	AB1-VV435U	2916204				

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

TF 36EL



RITAD AV/DRAWN BY CG	DATUM/DATE 130813	NEXT SHEET	SHEET 5
SIGN	REVISION/ISSUE H	RITINGS NR./DRAWING	