

STARKE *ARVID*

Instructions for Use

Trestle



Dear Customer!

Thank you for choosing a STARKE ARVID® product.

We have more than 25 years of experience within the construction business. We develop, manufacture and sell equipment intended for professional material management. Starke Arvid´s product assortment includes a total of 20 different products.

Browse in at www.starkearvid.se

General use and safety regulations:


- The basic principle for the trestle´s function is that the trestle´s pipe ends "grips" the surface.
- The trestles may only be loaded while on cement surfaces or a corresponding surface where the necessary grip can be achieved.
- The trestles are not intended for use on "slippery surfaces" e.g.: Terazzo floors.
- The trestles are developed for use together with STARKE ARVID´s Lift Truck.
- In order to avoid the risk of uneven load distribution, a fork lift should never be used when loading.
- Maximum load must not be exceeded.
- Place the load centrally on the trestle.
- Under no circumstances may a person be allowed under the load.
- Always use the necessary safety equipment.

General maintenance and care instructions:

- Before use check that the legs and loading surfaces are straight and that pipes have not been flattened.
- The pipe ends must be free from dirt, gravel, cement etc. They must not be bent.
- Check that the chains are not damaged or bent.
- Check all mobile parts and welding joints.
- Remove any outer rust and coat with anti-corrosive paint..
- When unsure, contact Alia AB.



We recommend that at least three trestles be used even if the load is under the maximum load, this gives a more even distribution to the load and the gypsum boards will not be deformed.



Evenly distributed loads!

Technical Data

Trestle

Article no:	21000
Maximum load:	400 kg
Width:	1220 mm
Length:	510 mm
Height:	660 mm
Weight:	6 kg

Service/Extra parts:

A number of retailers for STARKE ARVID® products are available for your basic security. If you have any questions regarding service or extra parts turn to your nearest retailer or directly to ALIA AB.

Guarantee:

Under the condition that all instructions for use have been followed, we offer a one-year guarantee according to NL 01. The product may not be modified by the user.

*Produced and
marketed by:*

Alia AB
Box 93
SE-459 22 LJUNGSKILE

Phone: +46-(0)522 22 000
Fax: +46-(0)522 22 344

office@starkearvid.se
www.starkearvid.se